



## **PIPE THREADING EQUIPMENT**



All parts interchangeable with RIDGID®. Complete with: stand, Carriage Assembly (carriage lever, reamer, cutter). One set 1/2" x 3/4" & One set 1-2" ARGCO Universal dies, Oiler and one gallon of Tuf Cut threading oil. \*Also includes Transporter

Threading Capacity: Pipe 1/8 through 2. Bolt 1/4 through 2. Speed Grip Chuck with Replaceable Jaw Inserts. Full line of replacement parts available for RIDGID<sup>®</sup> or PT Threaders.

#### THREADING MACHINE COMPLETE

38 rpm (57 rpm available) ARGCO ltem # 3301006

#### POWER DRIVE with FOOTSWITCH 38 rpm (57 rpm available)

ARGCO Item # 3301000PD









RIDGID® is a registered trademark of RIDGID®, Inc.



### **REPLACEMENT PARTS**

**THE POWER OF CHOICE!** 

ARGCO Brand at least 50% off Ridgid® list and the Quality is Every Bit as Good or Your Money Back.





### **GRUVMASTER COMBO ROLL GROOVERS**

### GRUVMASTER G-1X THE TOUGHEST COMBO ROLL GROOVER 1" to 12"

The only TRUE Portable Schedule 40 Groover for up to 8" pipe.

#### STRONG ENOUGH TO GROOVE SCHEDULE 40 ALL DAY LONG!

•Easily swap out shafts in 30 seconds

•Chucks into Ridgid® 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.

Capacity: 1" to 12" pipe (max wall thickness 8 mm)
1" to 8" schedule 10/40 pipe
8" to 12" schedule 10 pipe
Heavy Duty Ductile Iron Construction
Weight: 47 lbs.

Includes: Two Groove Rollers: 1" to 6" and 8" to 12" Four Drive Shafts: 1" and 1-1/4" to 1-1/2" and 2" to 6" and 8" to 12"

2 support arms Ratchet Drive Shaft Extension Sturdy Carrying Case





 Ratchet Wrench with Swivel Handle No need to take off your gloves while ratcheting

#### **Drive Shaft Extension**

1" Diameter x 8" Long Drive Shaft Extension disperses stress on the roll groover
Chucks into power drive leaving room for die head & carriage assembly to stay in place



GRUVMASTER G-1X Heavy Duty Combo Roll Groover RIDGID® is a registered trademark of RIDGID®, Inc

Capacity 1" to 12"

ARGC0 Item # 3309130

BUY \$15,000 OF GROOVED COUPLINGS, FITTINGS, MECH TEES, FLANGE ADAPTERS (MIX & MATCH)

**GET A FREE GRUVMASTER** 

You'll never consider or Pace® or Ridgid® 975 again!



### **GRUVMASTER COMBO ROLL GROOVERS**

### **GRUVMASTER G-2X LIGHTWEIGHT COMBINATION ROLL GROOVER**

The only Combo Roll Groovers that can groove 1" to 12" pipe Light enough to Groove In-the-Air

•The most durable lightweight groover on the market

•Easily swap out shafts in 30 seconds

 Chucks into Ridgid<sup>®</sup> 300 for Power Grooving or Manually Roll Groove in the air or with a pipe vise.

- •1" 6" schedule 10 and 40 pipe
- •Use 2"-6" optional shaft for better performance on schedule 40 pipe
- •Operate at slower speeds when grooving sch 40 pipe
- •8" 12" roller and shaft for schedule 10 pipe
- •Weight: 27 lbs.

#### Includes:

- •Two Groove Rollers: 1" to 6" and 8" to 12"
- •Three Drive Shafts: 1" and 1-1/4" to 6" and 8"-12"
- •2 support arms
- •Ratchet Wrench with Swivel Handle
- •Sturdy Carrying Case: Hold all extra parts & protects your equipment

Optional:

2" to 6" Heavy Duty Drive Shaft (3309125) Drive Shaft Extension (3309121)



**GRUVMASTER G-2X** LIGHTWEIGHT COMBO ROLL GROOVER

Capacity 1" to 12"

ARGCO Item # 3309120



**Ratchet Wrench with Swivel Handle:** 

No need to take off your gloves

while ratcheting



Sturdy Carrying Case: Hold all extra parts & protects your equipment






### **OUTSTANDING JAWS**

#### Turn 2-1/2" to 6" PIPE with your RIDGID® 300 Machine ALLOWING THE EASIEST & FASTEST ROLL CUTTING OF LARGE DIAMETER PIPE





- •Expand outstanding jaws until they evenly grip the inside wall of the pipe.
- •The internal jaws fit inside the pipe...
- •Turn on the power drive, Make roll cutting easy!



•Each set will grip 2-1/2" to 6" pipe •Fits over existing chuck jaw & easily clips into place



•Comes with a convenient case that clips onto the 1206 stand.





**OUTSTANDING JAWS** 

Turn & cut 2-1/2" to 6" PIPE with your RIDGID® 300 Machine (Item Number: 3304405)

RIDGID® is a trademark of RIDGID, Inc.





## LIGHTER, FASTER, EASIER than previous models





PATENTED\* *"OUICK CHANGE"* **HOLE GUIDES** 

No Tools Needed



\*US Patent No. D947,639



- •Cut up to 2" holes in up to 4" diameter pipe.
- •Weight: 14 lbs.

**PERFECT FOR** 

The Holemaster comes complete with: Holemaster Clamp and Guide Head Six interchangeable Hole Saw Guides **Two Arbors Carrying Case** 

HOLEMASTER HOLE CUTTING TOOL ARGCO Item #3099098







(MIX & MATCH) **GET A FREE HOLEMASTER** 





## **SPRINKLER LASER CENTERING LEVEL**



SPOTTER LEVEL 1" Male NPT and 1/2" Female NPT (<u>Item Number: 3099105</u>)



Accessories: aser Level Attachment CPVC Adapter



### **HYDRA-TAP FDC CHECK VALVE CLAPPER FLUSH TOOL**



Flipping an FDC check-valve to conduct a Forward Flow or FDC Backflush is the worst part of any inspector or sprinkler fitters day. With The Hydra-Tap<sup>™</sup> holding the clapper open and allowing for reverse flow, they'll never have to do it again.

Drain Check Valve
Insert Set Rod
Set Rod into place
Thread Tap Cylinder into Ball Drip Outlet
Adjust and Lock into place
Snug up Compression Nuts and you're ready to flow!

It's that easy! You're done in 20-30 minutes.

No more jacks, hydraulic spreaders, sawzalls, sledge hammers, wedges, pinched gaskets and special trips to the hardware store. You're in and you're out.







WAFER

Hydra-Tap
 FDC Check Valve Clapper Tool
 (<u>Item Number: 3099140</u>)



#### HYDRASCOPE ARTICULATING INSPECTION CAMERA

- Waterproof 5mm camera cable
- Access outlets as small as 1/4"
- Up to 9 hours of video or 20,000 images.

Troubleshooting & minimize both the impact 2 way articulating and downtime of the sprinkler system. ±175°

NFPA approved for 5 year inspection internal inspection.

BUY \$10,000 OF FDC'S, FIRE HOSE VALVES, GROOVED CHECK VALVES & GAUGES (MIX & MATCH)

**GET A FREE HYDRA-TAP** 







### **PIPE STANDS & VISES**





#### **Heavy Duty Adjustable Pipe Supports**

for Back Flows, Pipe, Manifolds and FDCs.
Constructed of schedule 40 pipe with 1" all thread rod & adjustment nut
Base: 5.5" diameter malleable iron floor flange base for mounting
Available Height Ranges:
18" to 24"
24" to 30"
30" to 36"
36" to 42"

Available Sizes: 1" thru 12" IPS





# Pipe Fittings, Valves & Pipe Hangers Supply

Grooved Couplings, Fittings, Mechanical Tees and Flange Adapters Butterfly, Check and OS&Y Valves, Threaded Fittings, Flexible Sprinkler Drops Pipe Hangers & Structural Attachments, Pipe Thread Sealants and more.



## **DUAL VAC - FIRE SPRINKLER VACUUM**

The Dual-Vac is a new way to approach the old problem of removing water left in a piping system

- after draining, repairs and modifications become easier.
- •Combines the benefits of a wet/dry vacuum and a submersible pump.
- •Submersible pump and a series of floats will keep the canister empty.
- •Designed to run unattended for 4-6 Hours
- •110 Volt A.C. 12 Amps
- •Pumps 10 gallons at a time.
- •5 foot lift with vacuum,15 foot lift with pump.

#### Applications

- •Change all types of sprinkler heads
- •Relocating drops for tenant improvements
- •Making repairs on a damaged or leaking system
- •Removing water from pre-action or dry systems
- •Used as a pump for Anti-Freeze Solutions

**DUAL VAC** Fire Sprinkler Vacuum

ARGCO Item #3099185

**HYDRO TEST PUMP** 

HT-90E ELECTRIC 1/2HP;300PSI 3GPM

ARGCO Item #3099155



### **HYDROSTATIC TEST PUMP**

#### •3.0 GPM

- •Up to 300 P.S.I. with Pressure Regulator
- •1/2 H.P. ball bearing motor (115 or 230 volt) with a 115% service load factor with capacitor starting
- •Built-in, full-flow, bypass system
- •Pump is 20% more efficient
- •Electrical switch for operator safety
- •Suction-side strainer to minimize the potential of plugging
- •Lightweight (35lbs) and compact unit
- •Liquid-filled, stainless steel gauge
- Swivel inlet connection
- 10 ft of quick-disconnect hose has an exclusive built-in,

one-way valve to permit the pump to be easily separated from the pressurized system as is often required by the inspector

### **MISC. TOOLS**

#### **ON CENTER PUNCH**

Magnetic center punch and level combination accurately locates position of holes to be drilled into.

ITEM # 3099106



#### BEAM CLAMP RATCHET WRENCH Fits 3/8" & 5/16" square head set



#### THREADED ROD CHASER

Quickly chase damaged threads after cutting threaded rod with a saw or bolt cutter. 3/8" & 1/2" sizes available





AFSA American Fire Sprinkler Association







#### ARGCO.com